

# Penile Enlargement

# Penile Enlargement

- 1. Usually a cosmetic procedure, not medically necessary
- 2. Average versus normal (2 standard deviations, 95%)
- 3. Consumer advocate
- 4. National Geographic
- 5. Emasculating effect of some women
- 6. Gay turn on; autogynephilia


# Penile Enlargement

- 1. “Me and My 3000 penises”
- 2. Multiparity
- 3. Option, find another woman
- 4. You are a total package
- 5. Reassurance, Reassurance, Reassurance

# Penile Enlargement Reassurance

- 1. You are a provider
- 2. You are a lover (give and receive love)
- 3. You are respectable, decent, intelligent, charming, caring, responsible, devoting, supportive, non-dominant, and physically attractive
- 4. You are a total package (not just a penis)





# Penile Enlargement

- Knowing when to say “no” or “not a good idea.”







Girth: A. Liposuctioned fat transfer  
(AFT = autologous fat transfer)



# AFT Complications

- 1. Reabsorption, zonal or uniform
- 2. Fibro-fatty nodules (clumps)





Girth: B. Dermal-Fat Graft

# Dermal-Fat Grafts Complications

1. Atrophy
2. Fibrosis and contracture, penile tether
3. Loss of penile length
4. Necrosis and infection













# C1. AlloDerm

Allo = other    Derm = dermis

- 1. From a cadaver
- 2. Acellular
- 3. Sold desiccated
- 4. Swells immensely, like particle board
- 5. Daily dressing changes or release
- 6. Will vascularize
- 7. No known experience with communicable disease







# AlloDerm Complications

- 1. Graft migration (shifting)
- 2. Higher incidence of infection with stacking
- 3. Wound dehiscence
- 4. Early mobilization effects


## C2. BellaDerm

- 1. From living patient, abdominalplasty
- 2. Sold in sterile solution
- 3. No repeated dressing changes, as a rule
- 4. Larger standard width 5 cm versus 4
- 5. More disruption of lymphatic drainage
- 6. Continuous misrepresentation in labelling as per thickness

C/ON

184


mm





















# Testicular Enhancement

- Avoid overly large sizes
- Avoid crescent cups: most separate, reduced sperm count, atrophy







# Conclusions

- 1. Be a good consumer advocate
- 2. If length, length before girth
- 3. Do not do simultaneous surgery
- 4. Know when to say “no”